

Preferred Administrators Preventive Services
FISCAL YEAR 2025
Effective October 1, 2024

Preventive Service: <i>(Fiscal Year starts 10/1-9/30)</i>	CPT Code(s):	ICD10 Diagnosis Code(s)
Abdominal aortic aneurysm screening: men The USPSTF recommends one-time screening for abdominal aortic aneurysm by ultrasonography in men aged 65 to 75 who have ever smoked.	76706	Z00.8, Z72.0, Z87.891, F17.210 - F17.219, Z87.891
Alcohol unhealthy use of; screening and counseling The USPSTF recommends screening and behavioral counseling interventions to reduce alcohol misuse by adults, including pregnant women, in primary care settings.	G0442, G0443, G0444 99408 - 99409,	F10.10-F10.99, O09.70, O09.71, O09.72, O09.73, O09.891, O09.892, O09.893, O09.899, O99.10-O99.315. Z33.1, Z00.00, Z00.01, Z00.8, Z13.89, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, Z71.41, F32.9, F32.9 *This benefit can be billed also with any of the following: <u>Pregnancy List</u> O09.00 - O09.93, O30.001 - O30.93 Z34.00 - Z34.93, O36.80X0 - O36.80X9 Z33.1
Anxiety in Children and Adolescents: Screening The USPSTF recommends screening for anxiety in children and adolescents aged 8 to 18 years.	96127	Z13.39

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Aspirin to prevent CVD: men The USPSTF recommends the use of aspirin for men age 45 to 79 years when the potential benefit due to a reduction in myocardial infarctions outweighs the potential harm due to an increase in gastrointestinal hemorrhage</p>	<p>99386,99387, 99396,99397, 99401-99404</p>	<p>Z00.00, Z00.01, Z00.8</p>
<p>Aspirin to prevent CVD: women The USPSTF recommends the use of aspirin for women age 55 to 79 years when the potential benefit of a reduction in ischemic strokes outweighs the potential harm of an increase in gastrointestinal hemorrhage.</p>	<p>99386,99387, 99396,99397, 99401-99404</p>	<p>Z00.00, Z00.01, Z00.8</p>
<p>Autism screening for children 18 and 24 months</p>	<p>96110</p>	<p>Z00.121, Z00.129, Z13.40, Z13.41, Z13.42, Z13.49</p>
<p>Bacteriuria screening: pregnant women. The USPSTF recommends screening for asymptomatic bacteriuria with urine culture for pregnant women.</p>	<p>87086, 87088, 81007</p>	<p>Z00.00, Z01.411, Z01.419, Z13.89 Z33.1 *This benefit can be billed also with any of the following: <u>Pregnancy List</u> O09.00 - O09.93, O30.001 - O30.93 Z34.00 - Z34.93, O36.80X0 - O36.80X9 Z33.1</p>

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Blood pressure/Hypertension screening in Adults screening The USPSTF recommends screening for high blood pressure in adults aged 18 and older.</p>	<p>93784, 93786, 93788, 93790 99401-99404</p>	<p>Z00.00, Z00.01, Z00.8, Z13.6 R03.0</p>
<p>BRCA Lab Screening and Genetic Counseling and Evaluation for BRCA Testing; The USPSTF recommends that primary care providers screen women who have family members with breast, ovarian, tubal, or peritoneal cancer with one of several screening tools designed to identify a family history that may be associated with an increased risk for potentially harmful mutations in breast cancer susceptibility genes (<i>BRCA1</i> or <i>BRCA2</i>). Women with positive screening results should receive genetic counseling and, if indicated after counseling, BRCA testing.</p>	<p>99401 - 99404, 81212, 81215, 81216, 81217, 81162, 81163, 81164, 81165, 88166, 81167,81432, 81433,</p> <p>99202- 99215, 99385 - 99397, G0463, 96040, S0265, 36415,</p> <p>All BRCA Screening require a prior authorization</p>	<p>Z15.01, Z15.02, Z80.3, Z80.41, Z85.3, Z85.43</p> <p>** BRCA Screening is restricted to primary diagnosis and claim will pay as preventive if billed with primary diagnosis listed. If preventive diagnosis is not billed as primary, the claim will process as medical and member will have cost share.</p>

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Breast cancer preventive medication The USPSTF recommends that clinicians discuss chemoprevention with women at high risk for breast cancer and at low risk for adverse effects of chemoprevention. Clinicians should inform patients of the potential benefits and harms of chemoprevention.</p>	<p>99401 – 99404, 99205, 99211, 99212, 99213, 99214, 99215, 99385, 99386, 99387, 99395, 99396, 99397, 99417, G0463</p>	<p>Z15.01, Z15.02, Z80.3, Z85.3, Z80.41</p>
<p>Breast cancer screening The USPSTF recommends screening mammography for women, with or without clinical breast examination, every 1-2 years for women aged 40 and older.</p>	<p>G0202, G0206, G0204, G0279, 77065, 77063, 77066, 77067</p> <p>Revenue Code 0403</p>	<p>Z01.411, Z01.419, Z12.31, Z12.39</p>

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
Breastfeeding Support, Supplies, and Counseling The USPSTF recommends interventions during pregnancy and after birth to promote and support breastfeeding.	99385 - 99386, 99395 - 99396, 99341 - 99245 99401 - 99404, 98960, 98961, 98962, A4281, A4286, E0602 - E0603,	Z01.411, Z01.419, Z39.1, Z39.2 Z71.89, O91.012 – O91.23, O92.70, O92.79

The purchase of a portable double electric pump (non-hospital grade)

A purchase will be covered once every five years following the date of the birth. If a portable double electric pump was purchased within the previous period, the purchase of a portable double electric pump will not be covered until a five-year period has elapsed from the last purchase of an electric pump. Prior Authorization is not required for Breast Pumps.

The purchase of a manual breast pump

A purchase will be covered once every five years following the date of the birth. If a manual pump was purchased within the previous period, the purchase of a manual pump will not be covered until a five-year period has elapsed from the last purchase of an electric pump.

Breast Pump Supplies

Coverage is limited to only one per pregnancy in a year where a covered female would not qualify for the purchase of a new pump. Coverage for the purchase of breast pump equipment is limited to one item of equipment for the same or similar purpose, and the accessories and supplies needed to operate the item. The covered Associate or its dependent is responsible for the entire cost of any additional same or similar equipment that is purchased or rented for personal convenience or mobility.

Note: Prior Authorization is not required for Breast Pumps with an in-network provider.

**Preferred Administrators Preventive Services
FISCAL YEAR 2025**

Breast Pump Reimbursement

We have no reimbursement fees for these services, therefore, an invoice is required. Reimbursement will be coordinated between Case Management, Contracting, and the DME Provider.

Note: If member is submitting for reimbursement:

Effective 12/1/13, members can submit a member reimbursement for the purchase of a portable double electronic non-hospital grade breast pump. Preferred Administrators will reimburse for a breast pump up to \$200.00 dollars or up to \$50.00 dollars for supplies. These items can be purchased at any retailer or pharmacy. Member will be reimbursed when they have submitted the following:

- **Member Reimbursement Form**
This form can be downloaded at www.preferredadmin.net
- **Receipt**
- **Prescription form OB Provider**

The TPA Department will review that the Member Reimbursement Form and attachments are complete, sign and take to Claims for processing.

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Cervical cancer screening from ages 21-65. Screening for cervical cancer every 3 years with cervical cytology alone in women aged 21 to 29 years. For women aged 30 to 65 years, screening every 3 years with cervical cytology alone, every 5 years with high-risk human papillomavirus (hrHPV) testing alone, or every 5 years with hrHPV testing in combination with cytology (cotesting).</p>	<p>88141 - 88148, 88150 - 88155, 88164 - 88165, 88166 - 88167, 88174-88175,G0101, G0123 G0124, G0141, G0143, G0144, G0145, G0147 G0148, Q0091, P3000, P3001, 87624, 87625, G0476</p>	<p>Z00.00, Z00.01, Z01.411, Z01.419, Z01.42, Z12.4, Z12.72, Z11.51,Z12.4</p>
<p>Chlamydia infection screening: non-pregnant women The USPSTF recommends screening for chlamydia infection for all sexually active non-pregnant young women age 24 and younger and for older non-pregnant women who are at increased risk.</p>	<p>86631-86632, 87110, 87270, 87320, 87490, 87491, 87492, 87810, 87801</p>	<p>Z00.00, Z00.01, Z00.8, Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.8, Z11.9, Z20.2, Z20.6, Z72.51, Z72.52, Z72.53</p>
<p>Chlamydia infection screening: pregnant women The USPSTF recommends screening for Chlamydia infection for all pregnant women age 24 and younger and for older pregnant women who are at increased risk.</p>	<p>86631-86632, 87110, 87270, 87320, 87490 - 87492, 87810, 87801, 87850</p>	<p>Z00.00, Z00.01, Z00.8, Z01.411, Z01.419, Z11.3, Z11.9, Z20.2 Z11.8</p> <p>*This benefit can be billed also with any of the following:</p> <p><u>Pregnancy List</u> O09.00 - O09.93, O30.001 - O30.93 Z34.00 - Z34.93, O36.80X0 - O36.80X9 Z33.1</p>

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Cholesterol abnormalities screening: men 35 and older The USPSTF strongly recommends screening men aged 35 and older for lipid disorders.</p>	<p>80061, 83718, 83719, 873721, 83722, 84478 82465 36415</p>	<p>Z00.00, Z00.01, Z00.8, Z13.220</p>
<p>Cholesterol abnormalities screening: men younger than 35 The USPSTF recommends screening men aged 20 to 35 for lipid disorders if they are at increased risk for coronary heart disease.</p>	<p>80061, 82465, 83718, 83719, 83721, 83722, 84478 36415</p>	<p>Z00.00, Z00.01, Z00.8, Z13.220</p>
<p>Cholesterol abnormalities screening: women 45 and older The USPSTF strongly recommends screening women aged 45 and older for lipid disorders if they are at increased risk for coronary heart disease.</p>	<p>80061, 82465 84478 36415</p>	<p>Z00.00, Z00.01, Z00.8, Z13.220</p>

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Cholesterol abnormalities screening: women younger than 45 The USPSTF recommends screening women aged 20 to 45 for lipid disorders if they are at increased risk for coronary heart disease.</p>	<p>80061, 82465, 36415</p>	<p>Z00.00, Z00.01, Z00.8, Z13.220</p>
<p>Cholesterol Screening (Lipid Disorders Screening) for Adults 18 age and over</p>	<p>80061, 82465, 83718, 83719, 83721, 83722, 84478, 36415</p>	<p>Z00.00, Z00.01, Z13.220, Z13.6, Z82.49</p>
<p>Cholesterol screening (dyslipidemia): children/adolescents ages 24 months - 21 years</p>	<p>80061, 82465, 83718, 83719, 83721, 83722, 84478, 36415</p>	<p>Z00.00, Z00.01, Z00.121, Z00.129 Z13.220, Z00.8</p>

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Colorectal cancer screening The USPSTF recommends screening for colorectal cancer using fecal occult blood testing, sigmoidoscopy, or colonoscopy, in adults, beginning at age 45 years and continuing until age 75 years. The risks and benefits of these screening methods vary.</p> <p>** Colorectal Cancer Screening is restricted to primary diagnosis and claim will pay as preventive if billed with primary diagnosis listed. If preventive diagnosis is not billed as primary, the claim will process as medical and member will have cost share.</p> <p>**Colorectal Cancer Screenings are only for adults beginning at age 45 years and continuing until age 75.</p>	<p>G0104 - G0106 G0120 - G0122, 45330, 45331, 45333, 45346, 45378, 45380, 45381, 45384, 45385, 45388, 44389, 44392, 44394, 74263, 82270, 82274, G0105, G0120, G0121, G0122, G0328, G0464, S0285, 81528, 82270, 82274, 88304, 88305</p> <p>Pre-Op Consultations 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99417</p> <p><u>Requires Prior Authorization except for codes 74263, 88304, 88305, 82270, 82274,81528 G0328, G0464</u></p> <p><u>Anesthesia</u> 00811, 00812, 00813 00740</p> <p><u>Sedation</u> 99152, 99153, 99156, 99157, G0500</p> <p><u>Revenue Codes 0750, 0490, 0400 - 0402, 0404 - 0409</u></p>	<p>Z00.00, Z00.01, Z00.8, Z12.10, Z12.11, Z12.12, Z12.13, Z80.0, Z83.711, Z83.718, Z83.719 Z83.79</p> <p>Prior authorization is required for outpatient surgery colorectal screenings</p>

**Preferred Administrators Preventive Services
FISCAL YEAR 2025**

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s) Note: ICD-10 codes are effective 10/1/15
<p>Contraceptive methods to include sterilization and Contraceptive Counseling. All Contraceptive methods, services, and supplies covered must be approved by the Food and Drug Administration (FDA). Coverage includes counseling services on contraceptive methods provided by a Physician, Obstetrician or Gynecologist. Covered Contraceptive to include Female Generic Prescription Drugs are covered.</p> <p>All IUDs are covered by the Medical Plan to include its insertion and removal.</p> <p>Please refer to the list of female generic medications posted online. These medications are reimbursed by our RX Pharmacy Vendor (NAVITUS).</p>	<p><u>Visits</u> 99401 - 99404, 99354 - 99355, 99201 - 99205, 99211 - 99215,</p> <p><u>Sterilizations</u> 58565 58600 - 58615, 58670 - 58671, 58300 - 58301, 58340, 74740, Q9967 A4264. 58661, 58562</p> <p><u>Anesthesia for Sterilization</u> 00851, 00940, 00942, 00950, 00952, 01960, 01961, 01965, 01966,</p> <p><u>Labs</u> 81025, 81025, 84702, 84703</p>	<p>Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.2, Z30.40, Z30.41, Z30.42, Z30.430, Z30.431, Z30.432, Z30.433, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z98.51</p> <p>Prior Authorization is not required for outpatient surgery sterilization for women and men</p>

**Preferred Administrators Preventive Services
FISCAL YEAR 2025**

<p>Contraceptive methods to include sterilization and Contraceptive Counseling. All Contraceptive methods, services, and supplies covered must be approved by the Food and Drug Administration (FDA).</p>	<p>Diaphragm or Cervical Cap Covered under Navitus Pharmacy RX Vendor A4267, A4266, 57170</p> <p>IUDs J7300: ParaGard J7301: Skyla J7296: Kleena J7297: Liletta J7298: Mirena</p> <p>Insertion and Removal covered under Medical 58300, 58301, S4981</p> <p>Implantable Devices J7306, J7307 Insertion and Removal covered under Medical 11980-Nexplanon Insertion 11976-Removal 11981, 11982, 11983 Removal with reinsertion A4264</p> <p>Depo-provera Injections J1050, J1055 96372 (Administration covered under Medical)</p> <p>Revenue codes 0360-0369, 0400-0402, 0404-0409, 0490</p>	
<p>Sterilization for men</p>	<p>99201-99205 99211-99215 55250, 55450 81001</p> <p>All supplies, including anesthetizing agents, inhalants, surgical trays, or dressings are included in the surgical payment on the day of surgery when the surgery is performed in the office.</p>	<p>Z30.2</p>

**Preferred Administrators Preventive Services
FISCAL YEAR 2025**

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Dental caries prevention: preschool children The USPSTF recommends fluoride varnish for all infants and children starting at age of primary tooth eruption; oral fluoride supplementation starting at age 6 months for children whose water supply is fluoride deficient. Age 0-5years (ends on 6th birthday).</p>	<p>99188</p>	<p>Z00.121, Z00.129, Z41.8</p>
<p>Depression screening: adolescents The USPSTF recommends screening of adolescents (12-18 years of age) for major depressive disorder when systems are in place to assure accurate diagnosis, psychotherapy (cognitive-behavioral or interpersonal), and follow-up.</p>	<p>96127, 96161, G0136, G0444</p>	<p>Z13.31, Z13.32,</p>

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
Depression screening: adults The USPSTF recommends screening adults for depression when staff-assisted depression care supports are in place to assure accurate diagnosis, effective treatment, and follow-up.	96127, 96161, G0444	Z13.31, Z13.32
Depression screening for women during pregnancy and in the postpartum period		
Developmental Screening and Emotional Behavioral Assessment for ages 21 and under	96110	Z13.49, Z13.41, Z13.42, Z00.121, Z00.129, Z13.40
Diabetes screening The USPSTF recommends screening for type 2 diabetes in asymptomatic adults with sustained blood pressure (either treated or untreated) greater than 135/80 mm Hg.	82947, 82948, 82950, 82951, 82952, 82962, 83036	Z00.00, Z00.01, Z00.8, Z13.1 E66.3, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, E66.01, E66.09, E66.1, E66.8, E66.9, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, Z86.32
Diabetes Screening for Adults 18 age and over	82947, 82948, 82950, 82951, 82952, 83036, 36415	Z00.00, Z00.01, Z86.32, Z13.1
Diabetes Screening for Mellitus after pregnancy.	82947, 82948, 82950, 82951, 82952, 83036, 36415	Z00.00, Z00.01, Z86.32, Z13.1
Dyslipidemia Screening 24 months to 21 yrs.	80061, 82465	Z00.121, Z00.129, Z13.220
Fall Prevention (Exercise or physical therapy and vitamin D supplementation to prevent falls in community-dwelling adults 65 years and older who are at increased risk for falls	97161, 97162, 97163, 97165, 97110, 97111, 97112, 97116, 97530, G0151, G0157	Z91.81
Folic acid supplementation The USPSTF recommends that all women planning or capable of pregnancy take a daily supplement containing 0.4 to 0.8 mg (400 to 800 µg) of folic acid.	Reimbursed by Pharmacy Vendor (NAVITUS)	

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Gestational diabetes Screening in pregnant women The USPSTF recommends gestational diabetes screening in pregnant women between 24 and 28 weeks of gestation and at the first prenatal visit for pregnant women identified to be at high risk for diabetes.</p>	<p>82947 - 82952, 83036, 82962, 83036, 36415</p>	<p>Z00.00, Z00.01, Z00.8, Z13.1</p> <p><u>Pregnancy List</u></p> <p>O09.00 - O09.93, O30.001 - O30.93 Z34.00 - Z34.93, O36.80X0 - O36.80X9 Z33.1</p>
<p>Gonorrhea prophylactic medication: newborns The USPSTF strongly recommends prophylactic ocular topical medication for all newborns against gonococcalophthalmi aneonatorum.</p>	<p>Reimbursed by Pharmacy (NAVITUS)</p>	

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Gonorrhea screening: women The USPSTF recommends that clinicians screen all sexually active women, including those who are pregnant, for gonorrhea infection if they are at increased risk for infection (that is, if they are young or have other individual or population risk factors).</p>	<p>87590 - 87592, 87801,87850</p>	<p>Z00.00, Z00.01, Z00.8, Z01.411, Z01.419, Z11.3, Z11.9</p> <p>*This benefit can be billed also with any of the following:</p> <p><u>Pregnancy List</u> O09.00 - O09.93, O30.001 - O30.93 Z34.00 - Z34.93, O36.80X0 - O36.80X9 Z33.1</p>
<p>Healthy diet counseling The USPSTF recommends intensive behavioral dietary counseling for adult patients with hyperlipidemia and other known risk factors for cardiovascular and diet-related chronic disease. Intensive counseling can be delivered by primary care clinicians or by referral to other specialists, such as nutritionists or dietitians.</p>	<p>97802, 97803, 97804, G0270, G0271, 99401, 99402, 99403, 99404, 98960, S9470</p>	<p>Z71.3, Z68.1 - Z68.54, Z13.9, Z13.21, Z13.220, Z13.228, Z00.00, Z00.01, Z00.8, E78.00 - E78.5</p>

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
Loss screening: newborns The USPSTF recommends screening for hearing loss in all newborn infants.	92551, 92552, 92553, 99461	Z13.5, Z00.110, Z00.121, Z00.129
Hemoglobinopathies screening: newborns The USPSTF recommends screening for sickle cell disease in newborns.	83020 - 83021, 83026, 83030, 83033, 83051, 85660 36415	Z00.110, Z00.121, Z00.129, Z13.0, Z84.81
Hepatitis C screening Recommends screening for everyone ages 18- 79years at lest once for hepatitis C virus infection (HCV).	86803, 86804, G0472, 36415,	Does not have diagnose code requirement for the preventive benefit to apply

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code	ICD10 Diagnosis Code(s)
<p>HIV screening/prevention of HIV infection — Strongly recommends that clinicians screen for human immunodeficiency virus (HIV) for everyone ages 13-65, and other ages at increased risk for HIV infection.</p> <p>Preexposure Prophylaxis (PrEP) for individuals with high risk of infection.</p>	<p>86701, 86702, 86703, 87534 - 87539, G0432, G0433, G0434, G0435, G0475, 86689, 86701, 86702, 86703, S3645, 36415, 87389, 87390, 87391,</p>	<p>Z00.121, Z20.2 Z00.00, Z00.01, Z00.8, Z11.3, Z11.4, Z11.59, Z11.9, Z20.2, Z20.6, Z22.8, Z22.9, Z72.52, Z72.53</p> <p>*This benefit can be billed also with any of the following:</p> <p><u>Pregnancy List</u> O09.00 - O09.93, O30.001 - O30.93 Z34.00 - Z34.93, O36.80X0 - O36.80X9 Z33.1</p>

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Human papillomavirus testing (HPV) The USPSTF recommends screening for high-risk human papillomavirus DNA testing in women with normal cytology results. Screening should begin at 30 years of age and should occur no more frequently than every 3 years.</p>	<p>88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88164, 88165, 88166, 88167, 88174, 88175 87623 - 87625 G0476,</p>	<p>Z00.00, Z00.01, Z00.8, Z01.411, Z01.419, Z11.51, Z12.4</p>
<p>Hypothyroidism screening: newborns The USPSTF recommends screening for congenital hypothyroidism in newborns.</p>	<p>84443, 84437 36415</p>	<p>Z00.110, Z00.111, Z13.29</p>
<p>Hypertensive Disorders of Pregnancy Screening The USPSTF recommends screening for hypertensive disorders in pregnant persons with blood pressure measurements ut pregnancy.</p>	<p>93784, 93786, 93788, 93790</p>	<p>R03.0</p> <p>*This benefit can be billed also with any of the following:</p> <p><u>Pregnancy List</u> O09.00 - O09.93, O30.001 - O30.93 Z34.00 - Z34.93, O36.80X0 - O36.80X9</p> <p>Z33.1</p>

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Intimate partner violence screening and counseling The USPSTF recommends screening and counseling for intimate partner violence. Coverage for PCP, LPC and LSW.</p>	90791 - 90792	Z69.11, Z69.12, Z69.11-Z69.82
<p>Iron Supplementation in children The USPSTF recommends routine iron supplementation for asymptomatic children aged 6 to 12 months who are at increased risk for iron deficiency anemia.</p>	99070	D50.0, D50.8, D50.9, E61.1
<p>Lung cancer screening. USPSTF recommends annual screening for lung cancer with low-dose computed tomography in adults ages 55 to 80 years who have a 30 pack-year smoking history and currently smoke or have quit within the past 15 years.</p>	71271, G0296, G0297, G9275, G9276, G9458, G9459, G9460	F17.210, F17.211, F17.213, F17.218, F17.219, Z12.2, Z87.891
<p>Newborn metabolic screening panel</p>	S3620, 82017, 82775, 83498, 84030, 84437,	Z00.110, Z00.111

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Obesity screening and counseling: adults The USPSTF recommends that clinicians screen all adult patients for obesity and offer intensive counseling and behavioral interventions to promote sustained weight loss for obese adults.</p>	<p>99401, 99402, 99403, 99404, 97802, 97803, 97804, G0446, G0447, G0473</p>	<p>Z13.89, Z71.3, Z68.1-Z68.54, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, E66.01, E66.3, E66.09, E66.1, E66.8, E66.9,</p>
<p>Obesity screening and counseling: children The USPSTF recommends that clinicians screen children aged 6 years and older and offer them or refer them to comprehensive, intensive behavioral interventions to promote improvement in weight status.</p>	<p>99401, 99402, 99403, 99404, G0445</p>	<p>E66.01, E66.09, E66.1, E66.8, E66.9, Z13.89, Z71.3, Z68.1-Z68.54</p>
<p>Osteoporosis screening for women age 65 years and older, and postmenopausal women younger than 65 who are increased risk of osteoporosis. Frequency is every two years.</p>	<p>76977, 77078, 77080, 77081, G0130</p> <p>Revenue Codes 0320 - 0329</p>	<p>Z00.00, Z00.01, Z00.8, Z13.820, Z82.62</p>
<p>Prediabetes screening and type 2 diabetes in adults aged 35 to 70 years who have overweight or obesity. Clinicians should offer or refer patients with prediabetes to effective preventive interventions.</p>	<p>97802, 97803, 97804, G0270, G0271, S9470, 0403T, G0447, G0473, G9886</p> <p>82947, 82948, 82950, 82951, 82952, 83036, 36415, 36416</p>	<p>R73.03, Z00.00, Z00.01, Z13.1, E66.3, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, E66.01, E66.09, E66.1, E66.87, E66.9, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45</p>

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
Prostate Cancer Screening for men age 40 and older	G0102 - G0103, 36415, 84152 - 84153	Z00.00, Z00.01, Z12.5, Z80.42
Rh incompatibility screening: first pregnancy visit The USPSTF strongly recommends Rh (D) blood typing and antibody testing for all pregnant women during their first visit for pregnancy-related care.	86901, 36415,	Z01.411, Z01.419, Z13.0, Z01.83 *This benefit can be billed also with any of the following: <u>Pregnancy List</u> O09.00 - O09.93, O30.001 - O30.93 Z34.00 - Z34.93, O36.80X0 - O36.80X9 Z33.1
Rh incompatibility screening: 24-28 weeks gestation The USPSTF recommends repeated Rh (D) antibody testing for all unsensitized Rh (D)-negative women at 24-28 weeks gestation, unless the biological father is known to be Rh (D)-negative.	86901, 36415,	Z01.411, Z01.419, Z01.83, Z3A.24 – Z3A.28, Z13.0
Rubella Screening by Serology: for all women of childbearing age at their first clinical encounter.	86762, 36415	Z00.00, Z11.59, Z20.4

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
Skin Cancer Prevention (Young Adults 10 to 24 yrs)	99401 – 99404, 99383 – 99395	Z00.121, Z00.129, Z00.00
STIs counseling The USPSTF recommends high-intensity behavioral counseling to prevent sexually transmitted infections (STIs) for all sexually active adolescents and for adults at increased risk for STIs.	99401 - 99404	Z00.00, Z00.01, Z00.8, Z70.0-Z70.9
Syphilis screening: non-pregnant adults The USPSTF strongly recommends that clinicians screen persons at increased risk for syphilis infection.	86592 - 86593, 36415	Z00.00, Z00.01, Z00.8, Z01.411, Z01.419, Z11.3, Z11.9 *This benefit can be billed also with any of the following: <u>Pregnancy List</u> O09.00 - O09.93, O30.001 - O30.93 Z34.00 - Z34.93, O36.80X0 - O36.80X9 Z33.1
Syphilis screening: pregnant women. The USPSTF recommends that clinicians screen all pregnant women for syphilis infection.	86592 - 86593, 36415	Z00.8, Z01.411, Z01.419, Z11.3, Z11.9, *This benefit can be billed also with any of the following: <u>Pregnancy List</u> O09.00 - O09.93, O30.001 - O30.93 Z34.00 - Z34.93, O36.80X0 - O36.80X9 Z33.1

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Tobacco use counseling: non-pregnant adults The USPSTF recommends that clinicians ask all adults about tobacco use and provide tobacco cessation interventions for those who use tobacco products.</p>	<p>99406 - 99407</p>	<p>F17.210, F17.211, F17.213, F17.218, F17.219, Z72.0, Z87.891, Z82.49</p>
<p>Tobacco use counseling: pregnant women The USPSTF recommends that clinicians ask all pregnant women about tobacco use and provide augmented, pregnancy-tailored counseling to those who smoke.</p>	<p>99406 - 99407</p>	<p>Z00.00, Z00.01, Z00.8, Z71.6, O99.330 – O99.335, F17.200 – F17.299, Z72.0</p>
<p>Tobacco use screening for all adults and cessation interventions for tobacco users. The recommendation is that clinicians ask all adults about using tobacco and provide behavioral interventions and U.S. Food and Drug Administration (FDA) approved pharmacotherapy for cessation to adults who use tobacco.</p>	<p>99406 - 99407</p>	<p>Z00.00, Z00.01, Z00.8, Z71.6, O99.330 – O99.335, F17.200 – F17.299, Z72.0</p>
<p>Tuberculosis infection screening: Adult 18 years and up.</p>	<p>86480, 86580, 86481, 36415, 71020, 71010, 99211</p>	<p>R76.11, R76.12, Z00.00, Z00.01, Z11.1, Z20.1</p>

**Preferred Administrators Preventive Services
FISCAL YEAR 2025**

Preventive Service:	CPT Code(s):	ICD10 Diagnosis Code(s)
Urinary tract or other infection screening: pregnant women.	81000 - 81099, 36415,	O23.519-O23.90, O23.01-O23.23, O23.31-O23.33, O23.41-O23.43, O23.591-O23.593, O23.91-O23.93, Z11.8, Z11.9 *This benefit can be billed also with any of the following: <u>Pregnancy List</u> O09.00 - O09.93, O30.001 - O30.93 Z34.00 - Z34.93, O36.80X0 - O36.80X9 Z33.1
Urinary Incontinence Screening for Women ages 17 and over	99411, 99412, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404	Z01.411, Z01.419, Z01.42, Z12.4, R32, R39
Visual acuity screening in children. The USPSTF recommends screening to detect amblyopia, strabismus, and defects in visual acuity in children younger than age 5 years.	99173, 99174, 99177,	Z00.110, Z00.121, Z00.129, Z01.00, Z01.01

Preferred Administrators Preventive Services
FISCAL YEAR 2025

ICD10 Pregnancy List

Pregnancy List

009.00 - 009.93

030.001 - 030.93

Z34.00 - Z34.93

O36.80X0 - O36.80X9

Z33.1

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Annual Visits for Adult and Children:	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>Routine preventive visits will now be covered as stated by the American Academy of Pediatrics Periodicity Table. The frequency of visits for children and adolescents will be according to American Academy of Pediatrics as follows: newborn, 3-5 days, 1 months, 2 months, 4 months, 6 months, 9 months, 12 months, 15 months, 18 months, 24 months, 30 months, 3 years - 21 years.</p> <p>Comprehensive preventive medicine evaluation and management of an individual includes:</p> <ul style="list-style-type: none"> • An age and gender-appropriate history • Physical examination • Counseling/anticipatory guidance • Risk factor reduction interventions • The ordering of appropriate immunization(s) and laboratory/ screening procedures • Routine hearing • Routine vision <p>Preventive routine hearing exams (CPT Code 92551) and vision exams (99173) will be covered as part of the routine preventive visits, to include children and adolescents.</p>		
Preventive Annual/ Physical Exams for Male/Female: Age Group- 0-1 year	99381, 99391	Z76.2, Z00.121, Z00.129, Z00.110, Z00.111
Preventive Annual/ Physical Exams for Male/Female: Age Group- 1-4 years	99382, 99392	Z76.2, Z00.121 Z00.129
Preventive Annual/ Physical Exams for Male/Female: Age Group- 5-11 years	99383, 99393	Z76.2, Z00.121 Z00.129
Preventive Annual/ Physical Exams for Male/Female: Age Group- 12-17 years	99384, 99394	Z76.2, Z00.121 Z00.129

Preferred Administrators Preventive Services FISCAL YEAR 2025

COVID Preventive Vaccines Immunizations and Administration & Preventive Services/ COVID related services will be adopted as per CDC recommendations	CPT Code(s):	ICD10 Diagnosis Code(s)
Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Pfizer- First Dose)	0001A	ICD 10 Not Restricted
Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Pfizer- Second Dose)	0002A	
Immunization administration by intramuscular injection of Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Moderna-First Dose)	0011A	
Immunization administration by intramuscular injection of Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Moderna- Second Dose)	0012A	
Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (AstraZeneca Sarscov2- First Dose)	0021A	
Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (AstraZeneca Sarscov2- Second Dose)	0022A	
Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Janseen Covid 19)	0031A	
COVID Testing	87635, 87635, 86328, 8742686769, U0001, U0002, U0003, U0004, Rev Codes 0300 – 0319,	

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Vaccines Immunizations and Administration of Vaccines for Children and Adult	CPT Code(s):	ICD10 Diagnosis Code(s)
<p>*The following Codes have been discontinued effective January 1, 2016 90645, 90646, 90669, 90692, 90693, 90703, 90704, 90705, 90706, 90708, 90712, 90719, 90720, 90721, 90725, 90727, 90735</p>	<p>*Administration Codes 90460, 90461, 90471, 90474, 90472, 90473</p> <p>Admin Revenue Code- 0771</p> <p>Vaccines Codes 90476 - 90648, 90653 - 90736, 90738 – 90749, 90653, Q2035, Q2037, Q2038</p> <p>Vaccine Revenue Code- 0636</p>	<p>Z76.2, Z23, Z00.129, Z00.121, Z00.110, Z00.00, Z00.01, Z00.8</p> <p>Please reference to the link below on frequently asked questions for the Pediatric Immunization Administration Codes</p> <p>https://www.aap.org/en-us/Documents/coding_faq_immunization_administration.pdf</p>

Routine preventive visits will now be covered as stated by the American Academy of Pediatrics Periodicity Table. The frequency of visits for children and adolescents will be according to American Academy of Pediatrics as follows: newborn, 3-5 days, 1 months, 2 months, 4 months, 6 months, 9 months, 12 months, 15 months, 18 months, 24 months, 30 months, 3 years - 21 years.

Comprehensive preventive medicine evaluation and management of an individual includes:

- An age and gender-appropriate history
- Physical examination
- Counseling/anticipatory guidance
- Risk factor reduction interventions
- The ordering of appropriate immunization(s) and laboratory/ screening procedures
- Routine hearing
- Routine vision

Preventive routine hearing exams (CPT Code 92551) and vision exams (99173) will now be covered as part of the routine preventive visits, to include children and adolescents.

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Well Child Screenings under the age of 18.	CPT Code(s):	ICD10 Diagnosis Code(s)
Anemia Screening in Children	85014, 85018, 36415	Z00.110, Z00.111, Z00.121, Z00.129, Z13.0
Autism Screening	96110	Z001.21, Z001.29, Z13.40, Z13.41, Z13.42, Z713.49
Bilirubin Screening in infants	82247, 88720	Z00.110, Z00.111, Z00.121, Z00.129
Developmental Screening	96110	Z00.121, Z00.129, Z13.42, Z13.40, Z13.49
Dyslipidemia Screening (Cholesterol)	80061, 82465, 83718, 83719, 83721, 83722, 84478, 36415	Z00.121, Z00Z13.220
Hemoglobin	85013, 85014, 85018, 85025, 85027, 36415	Z00.121, Z00.129, Z00.110, Z00.111, Z13.0
Lead Screening (up to 7 yrs)	83655, 36415	Z00.121, Z001.29, Z77.011
Postpartum Depression Screening (Performed as part of 1, 2, 4, and 6 month well baby visits)	96161	Z00.110, Z00.111, Z00.121, Z00.129
Sensory Screening- Vision for Children	99381, 99382, 99383, 99384, 99385, 99391, 99392, 99393, 99394, 99395, 99173, 99174, 99177	Z00.121, Z00.129, Z00.110, Z00.111, Z13.5, Z01.00, Z01.01
Sensory Screening-Hearing for Children	99382, 99383, 99384, 99385, 99392, 99393, 99394, 99395, 92551, 92552, 92553, 92558, 92587, 92588,	Z01.10, Z00.121, Z00.129, Z01.10, Z00.00, Z00.01

Preferred Administrators Preventive Services FISCAL YEAR 2025

Preventive Service: Adult Annual Exams over the age of 18.	CPT Code(s):	ICD10 Diagnosis Code(s)
Preventive Annual Physical Exams for Male/Female: Age Group- 18- 39 age This would include Well Adult Visit (Physicals) (One per Fiscal Year)	99385, 99395	Z00.00, Z00.01, Z00.8
Preventive Annual Physical Exams for Male/Female: Age Group- 40- 64 age This would include Well Adult Visit (Physicals) (One per Fiscal Year)	99386, 99396	Z00.00, Z00.01, Z00.8
Preventive Annual Physical Exams for Male/Female: Age Group- 65- older This would include Well Adult Visit (Physicals) (One per Fiscal Year)	99387, 99397	Z00.00, Z00.01, Z00.8
Preventive Well Women Annual Visits with OB/GYN (One per Fiscal Year)	99384 - 99387, 99394 – 99397, S0610, S0612, S0613	Z01.411, Z01.419, Z01.42, Z12.4

Preferred Administrators Preventive Services FISCAL YEAR 2025

Indications for Coverage

Introduction:

Effective for plan years on or after September 23, 2010, the federal Patient Protection and Affordable Care Act (PPACA) requires non-grandfathered health plans to cover certain “recommended preventive services” identified by PPACA under the Preventive Care Services benefit, without cost sharing to enrollees when provided by Network physicians.

For Plan Years that on or after September 23, 2010:

For non-grandfathered health plans, **Preferred Administrators** will cover the recommended preventive services under the Preventive Care Services benefit as mandated by PPACA, with no cost sharing when provided by a Network provider. These services are described in the United States Preventive Services Task Force A and B recommendations, the Advisory Committee on Immunization Practices (ACIP) of the CDC, and Health Resources and Services Administration (HRSA) Guidelines including the American Academy of Pediatrics *Bright Futures* periodicity guidelines.

For Plan Years that on or after August 1, 2012:

For non-grandfathered plans, **Preferred Administrators** will cover for women the additional preventive care and screenings as required by the HHS Health Plan Coverage Guidelines for Women’s Preventive Services for plan years that begin on or after August 1, 2012.

REFERENCES

1. Centers for Disease Control and Prevention/Immunization Schedules: <http://www.cdc.gov/vaccines/schedules/index.html>
2. Grade Definitions for USPSTF Recommendations and U.S. Preventive Services Task Force Recommendations
<http://www.uspreventiveservicestaskforce.org/Page/Name/grade-definitions>
<http://www.uspreventiveservicestaskforce.org/BrowseRec/Index/browse-recommendations>
3. Women’s Preventive Services: Required Health Plan Coverage Guidelines: <http://www.hrsa.gov/womensguidelines/>
4. Department of Labor: http://www.dol.gov/ebsa/consumer_info_health.html
5. July 19, 2010 IRS Interim Rules: http://www.irs.gov/irb/2010-29_IRB/index.html
6. American Academy of Pediatrics / Bright Futures / Recommendations for Pediatric Preventive Healthcare. (For ages 0 – 21): http://www.aap.org/en-us/professional-resources/practice-support/Periodicity/Periodicity%20Schedule_FINAL.pdf
7. American Academy of Pediatrics: <http://www.aap.org/> Centers for Disease Control and Prevention / Immunization Schedules: <http://www.cdc.gov/vaccines/schedules/index.html>
8. American Academy of Family Physicians (AAFP) Summary of Recommendations for Clinical Preventive Services: http://www.aafp.org/dam/AAFP/documents/patient_care/clinical_recommendations/cps-recommendations.pdf
9. ACIP Recommendations: <http://www.cdc.gov/vaccines/hcp/acip-recs/vacc-specific/index.html> . Accessed August 31, 2023.
10. U.S. Food and Drug Administration (FDA), Complete List of Vaccines Licensed for Immunization and Distribution in the US: <http://www.fda.gov/BiologicsBloodVaccines/Vaccines/ApprovedProducts/UCM093833> . Accessed August 31, 2023.
11. Vaccines and Immunizations resource page. Centers for Disease Control and Prevention Web site. <https://www.cdc.gov/vaccines/index.html> . Accessed August 31, 2023.

Preferred Administrators Preventive Services FISCAL YEAR 2025

GUIDELINE HISTORY/REVISION HISTORY

This Preventive Listing will be updated accordingly to AMA/CPT updates. All updates will be posted at www.preferredadmin.net . For a complete listing of benefits, you can review all Plan Documents and Summary of Benefits at www.preferredadmin.net . For verification of eligibility and benefits, you can reach our Member Services Department at 915-532-3778 or 1-877-532-3778 if outside of the calling area. Member Services is available Monday through Friday from 8 a.m. to 5 p.m., Mountain Time.

Effective Date of Change	Action/Revision Description
10/2010	Original Effective Date of Preventive Service Listing.
1/01/2015	The following Codes have been discontinued effective 12/31/14. Codes discontinued 87620-57622 and replaced with 87623, 87624, 87625
12/03/15	Colorectal cancer screening Added Code G0464
1/11/16	The following Codes have been discontinued effective January 1, 2016 90645, 90646, 90669, 90692, 90693, 90703, 90704, 90705, 90706, 90708, 90712, 90719, 90720, 90721, 90725, 90727, 90735, J7302
1/11/16	Contraceptive Methods: Code J7302 have been replaced with codes J7297 and J7298
3/01/16	Developmental Screening: Added Code 96110, effective date is 10/1/15 Covered as a preventive screening for children 0- 3 years of age
3/01/16	Breast Cancer Screening: Added Codes G0204, 77063, and G0279. Codes are effective 10/1/15
10/01/16	Abdominal aortic aneurysm screening: Added Z87.891, F17.10-F17.219, Z72.0 Removed G0389, 76705, 76770 and 76775 Added: 76706 (new code effective 1/1/17)
10/01/16	Alcohol misuse counseling: Added Z71.41, O99.10 – O99.315, F10.10 - F10.99
10/01/16	Aspirin To Prevent CVD: Removed Z00.121 and Z00.129
10/01/16	Aspirin to Prevent CVD In Women- Removed 85013, 85014, 85018, Z00.121, and Z00.129 Added 99386-99397, 99401-99401

10/01/16	Bacteriuria screening pregnant women: Added code 81007, Z13.89
10/01/16	Blood Pressure Screening: Removed Z00.121 and Z00.129
10/01/16	BRCA Lab Screening: Added 81432, 81433 Z31.5, Z13.79 Removed 36416 Removed Z13.71
10/01/16	Breast cancer preventive medication: Added Z15.01
10/01/16	Breast cancer screening: Added code G0206, 77065, 77066, 77067 (new code effective 1/1/17) Removed Z00.121 and Z00.129
10/01/16	Breastfeeding Support, Supplies, and Counseling. Added codes 99341, 99245 Added ICD 10 O92.70, O92.79, Z71.89
10/01/16	Chlamydia Infection Screening: Added ICD10 Z11.3, Z11.9, Z20.2
10/01/16	Colorectal Cancer Screening: Added codes 45346, 45388, S0285, 00810, 00740, 81528, G0328, and G0464. Added ICD 10 Z83.79 Added Revenue Codes 0400-0402- 0404-0409
10/01/16	Contraceptive methods to include sterilization and Contraceptive Counseling Added Codes 58340, 74740, A4264 and Q9967 Added Anesthesia Codes for Sterilization 00851, 00940, 00942, 00950, 00952, 01960, 01961, 01965, 01966 Added Revenue Codes for Sterilization 0360-0369, 0400-0402, 0404-0409, and 0490 Listed Contraceptives by Categories Removed Codes- 99241-99245, 11975, 11976, 11982 Removed ICD10 Z98.51
10/01/16	Cholesterol abnormalities screening: women younger than 45 Added 84478
10/01/16	Depression screening adolescents: Added 96127 Added Z13.4 Removed 99381-99383, 99391-99393, 99420
10/01/16	Depression screening adults: Removed 99381-99383, 99391-99393, 99420
10/01/16	Genetic Counseling and Evaluation for BRCA Testing; and BRCA Lab Screening Added code 81162
10/01/16	Healthy diet counseling: Added Z13.9, Z13.21, Z13.220, Z13.228

10/01/16

Hepatitis C Screening: Added Z11.9, Z11.59
Removed the following ICD10

A51.46, A51.49, A51.5, A51.9, A52.00, A52.01, A52.02, A52.03, A52.04, A52.05,
A52.06, A52.09, A52.10, A52.11, A52.12, A52.13, A52.14, A52.15, A52.16, A52.17, A52.19, A52.2,
A52.3, A52.71, A52.72, A52.73, A52.74, A52.75, A52.76, A52.77, A52.78, A52.79, A52.8, A52.9, A53.0,
A53.9, A54.00, A54.01, A54.02, A54.03, A54.09, A54.1, A54.21, A54.22, A54.23, A54.24, A54.29,
A54.30, A54.31, A54.32, A54.33, A54.39, A54.40, A54.41, A54.42, A54.43, A54.49, A54.5, A54.6,
A54.81, A54.82, A54.83,

A54.84, A54.85, A54.86, A54.89, A54.9, A55, A56.00, A56.01, A56.02, A56.09, A56.11,
A56.19, A56.2, A56.3, A56.4, A56.8, A57, A58, A59.00, A59.01, A59.02, A59.03, A59.09, A59.8,
A59.9, A60.00, A60.01, A60.02, A60.03, A60.04, A60.09, A60.1, A60.9, A63.0, A63.8, A64, A74.81,
A74.89, A74.9, B07.8, B07.9, B20, B97.35, B97.7, D65, D66, D67, D68.0, D68.1, D68.2, D68.311,
D68.312, D68.318, D68.32, D68.4, D68.8, D68.9,

F11.20, F11.21, F11.220, F11.221, F11.222, F11.229, F11.23, F11.24,
F11.250, F11.251, F11.259, F11.281, F11.282, F11.288, F11.29, F12.20, F12.21, F12.220, F12.221, F12.222,
F12.229, F12.250, F12.251, F12.259, F12.280, F12.288, F12.29, F13.20, F13.21, F13.220, F13.221, F13.229,
F13.230, F13.231, F13.232, F13.239, F13.24, F13.250, F13.251, F13.259, F13.26, F13.27, F13.280, F13.281,
F13.282, F13.288, F13.29, F14.20, F14.21, F14.220, F14.221, F14.222, F14.229, F14.23, F14.24, F14.250,
F14.251, F14.259, F14.280, F14.281, F14.282,

F14.288, F14.29, F15.20, F15.21, F15.220, F15.221, F15.222, F15.229, F15.23, F15.24, F15.250, F15.251, F15.259,
F15.280, F15.281, F15.282, F15.288, F15.29, F16.20, F16.21, F16.220, F16.221, F16.229,
F16.24,

F16.250, F16.251, F16.259, F16.280, F16.283, F16.288, F16.29, F18.20, F18.21, F18.220, F18.221, F18.229,
F18.24, F18.250, F18.251, F18.259, F18.27, F18.280, F18.288, F18.29, F19.20, F19.21, F19.220, F19.221, F19.222,
F19.229, F19.230, F19.231, F19.232, F19.239, F19.24, F19.250, F19.251, F19.259, F19.26, F19.27

F19.280, F19.281, F19.282, F19.288, F19.29, K50.00, K50.011, K50.012, K50.013, K50.014, K50.018,
K50.019, K50.10, K50.111, K50.112, K50.113, K50.114, K50.118, K50.119, K50.80,
K50.811, K50.812, K50.813, K50.814, K50.818, K50.819,

K50.90, K50.91, K50.912, K50.913, K50.914, K50.918, K50.919, K51.20, K51.211, K51.212, K51.213, K51.214, K51.218, K51.219,
K51.30, K51.311, K51.312, K51.313, K51.314, K51.318, K51.319, K51.40, K51.411, K51.412, K51.413, K51.414, K51.418, K51.419,
K51.50, K51.511, K51.512, K51.513, K51.514, K51.518, K51.519, K51.80, K51.811, K51.812, K51.813, K51.814, K51.818, K51.819, K51.90, K51.911, K51.912

K51.913, K51.914, K51.918, K51.919, M02.30, M02.311, M02.312, M02.319, M02.321, M02.322, M02.329, M02.331, M02.332, M02.339,
M02.341, M02.342, M02.349, M02.351, M02.352, M02.359, M02.361, M02.362, M02.369, M02.371, M02.372, M02.379, M02.38, M02.39, N18.3,

N18.4, N18.5, N18.6, N34.1, N49.1, N49.2, N49.3, N49.8, N49.9, N73.5, N73.9, N76.0, N76.1, N76.2, N76.3, N77.1, O35.3XX0, O35.3XX1,
O35.3XX2, O35.3XX3, O35.3XX4, O35.3XX5, O35.3XX9, O35.5XX0, O35.5XX1, O35.5XX2, O35.5XX3, O35.5XX4, O35.5XX5, O35.5XX9, O90.4, O98.011, O98.012, O98.013, O98.019, O98.02, O98.03, O98.111, O98.112, O98.113, O98.119, O98.12, O98.13, O98.211, O98.212, O98.213, O98.219, O98.22, O98.23, O98.311, O98.312, O98.313, O98.319, O98.32, O98.33, O99.320, O99.321, O99.322, O99.323, O99.324, O99.325, P00.2,

Z00.00, Z00.01, Z04.41, Z04.42, Z11.3, Z11.4, Z11.59, Z11.9, Z14.01, Z14.02, Z20.2, Z20.5, Z20.6, Z20.828, Z21, Z22.4, Z41.8, Z48.21, Z48.22, Z48.24, Z48.280, Z48.288, Z48.290, Z48.298, Z49.31, Z49.32, Z51.89, Z52.000, Z52.001, Z52.008, Z52.010, Z52.011, Z52.018, Z52.090, Z52.091, Z52.098, Z52.10, Z52.11, Z52.19, Z52.20, Z52.21, Z52.29, Z52.3, Z52.4, Z52.5, Z52.6, Z52.89, Z52.9, Z57.8, Z71.7, Z72.51, Z72.52, Z72.53, Z79.899, Z86.2, Z92.25, Z94.0, Z94.1, Z94.2, Z94.3, Z94.5, Z94.6, Z94.7, Z94.81, Z94.82, Z94.83, Z94.84, Z94.89, Z94.9, Z95.3, Z95.4, Z99.2

10/01/16	HIV screening: Added code G0475. Added ICD10 Z20.2 Removed Z22.6, Z22.8, Z22.9
10/01/16	Human papillomavirus testing (HPV): Added code G0476
10/01/16	Interpersonal and domestic violence screening: Removed R41.83, Z60.0, Z60.8, Z60.9, Z64.4, Z65.4, Z65.8, Z73.6
10/01/16	Lung Cancer Screening: Added codes G0296- G02967
10/01/16	Obesity screening and counseling adults: Added Z71.3, Z68.1, Z68.54
10/01/16	Obesity screening and counseling children: Added Z71.3, Z68.1 – Z68.54
10/01/16	Pregnancy ICD10 Listing corrected O030.001 to O30.001 and corrected ICD10 Range 030.001-030.93
10/01/16	Preventive Annual/Physical Exams Routine preventive visits will now be covered as stated by the American Academy of Pediatrics Periodicity Table. The frequency will now cover as stated below. Routine preventive visits will now be covered as stated by the American Academy of Pediatrics Periodicity Table. The frequency of visits for children and adolescents will be according to American Academy of Pediatrics as follows: newborn, 3-5 days, 1 months, 2 months, 4 months, 6 months, 9 months, 12 months, 15 months, 18 months, 24 months, 30 months, 3 years - 21 years. Preventive routine hearing exams (CPT Code 92551) and vision exams (99173) will now be covered as part of the routine preventive visits, to include children and adolescents. Codes 92551 and 99173 will be paid to provider according to contract. REMOVE- For children over 5 years, the hearing and vision exams are covered as medical and applicable deductibles or co-insurance will apply. REMOVE- The frequency of visits for children from 0-1 year are according to American Academy of Pediatrics as follows: 3-5 days, 1 month, 2 months, 4 months, 6 months, and 9 months) The frequency of visits for children 1-17 years is once per Fiscal Year.
10/01/16	Prostate Screening: Added codes G0102-G0103, 36415-36416, 84152 – 84153 Added ICD 10 Z00.00, Z00.01, Z12.5, Z80.42
10/01/16	Rh incompatibility screening: first pregnancy visit Added 36415-36416 Added Z01.83 Removed Z36 Removed 36416
10/01/16	Rh incompatibility screening: 24-28 weeks gestation: Added 36415-36416 Added Z01.83, Z3A.24 - Z3A.28

	Removed Z36 Removed 36416
10/01/16	Routine Immunizations and Administration of Vaccines for Children and Adult Added Q2035, Q2037, Q2038
10/01/16	Syphilis screening: pregnant women: Added 36415 Removed 36416
10/01/16	STIs counseling: Added Z70.0 –Z70.9 Removed Z71.89, 36416
10/01/16	Syphilis Screening: Added 36415 Removed 36416
10/01/16	Tobacco use counseling: pregnant women Added Z00.00, Z00.01, Z71.6, Z72.0, O99.330 – O99.335, F17.200 – F17.299 Removed Note: This benefit can be billed also with any ICD10 pregnancy diagnosis listing on page 30.
10/01/16	Urinary Tract: Added 36415 Added Z11.8, Z11.9 Removed Z23.511 – O23.513, O23.251 – O23.523, O86.11 – O86.29 Removed 36416
10/01/16	Visual acuity screening in children. Added codes 99174 and 99177
10/01/16	Removed all ICD9 diagnosis codes
10/01/17	Breast Cancer Screening: Added 77065, 77066, 77067 Removed 77051, 77052, 77055, 77056, and 77057
10/01/17	Anemia screening: pregnant women: Removed 36416
10/01/17	Blood pressure screening: Added R03.0
10/01/17	BRCA Lab Screening and Genetic Counseling and Evaluation for BRCA Testing: Added Z80.41
10/01/17	Cholesterol abnormalities screening men 35 and older: Removed 83718, 83719, and 83721
10/01/17	Cholesterol abnormalities screening: men younger than 35: Removed 83718, 83719, and 83721
10/01/17	Cholesterol abnormalities screening women 45 and older: Removed 83718, 83719, and 83721
10/01/17	Cholesterol abnormalities screening women younger than 45: Removed 83718, 83719, and 83721
10/01/17	Cholesterol screening (dyslipidemia): children/adolescents ages 24 months - 21 years: Added 80061, 82465, 36415 ICD 10 Codes Z00.00, Z00.01, Z00.121, Z00.129 Z13.220, Z00.8

10/01/17	Colorectal cancer screening: Added 45331, 44392, 44394, 82270, 82274, 88304, 88305, 99152, 99153, 99156, 99157, G0500
10/01/17	Dental Caries Prevention: Added 99188, ICD 10 Z00.121, Z00.129, Z41.8
10/01/17	Dyslipidemia Screening 24 months to 21 years: Added 80061, 82465, 36415 ICD 10 Z00.121, Z00.129, Z13.220
10/01/17	Hemoglobinopathies screening newborns: Added 36415
10/01/17	Hepatitis C screening: Removed 36416
10/01/17	HIV Screening: Added 87389, 87390, 87806
10/01/17	Hypothyroidism screening newborns: Added 36415
10/01/17	Lung Cancer Screening: Code S8032 terminated 12/31/16
10/01/17	Newborn Metabolic Screening Panel: Added S3620, 82775, 83498, 84030 Added ICD 10 Z00.110, Z00.111
10/01/17	Prostate Cancer Screening for men age 40 and older: Removed 36416
10/01/17	Rubella Screening by Serology: Added 86762, 36415 Added ICD10 Z00.00, Z11.59, Z20.4
10/01/17	Tuberculosis Infection Screening: Added 86580, 36415, 71020, 71010 Added ICD 10 R76.11, R76.12, Z00.00, Z00.01, Z11.1, Z20.1
10/01/17	Sterilization for men: Added 81001
10/01/17	Added Preventive Well Child Labs for 21 years of age and younger
10/01/18	Added specific page named (Preventive Well Child Screenings for children under 18)
10/01/18	BRCA Screening is restricted to primary diagnosis and claim will pay as preventive if billed with primary diagnosis listed. If preventive diagnosis is not billed as primary, the claim will process as medical and member will have cost share.
10/01/18	Cholesterol Screening (Lipid Disorders Screening) for Adults 18 age and over. Added Added 80061, 36415, Z13.220, Z13.6, Z82.49
10/01/18	Diabetes Screening for Adults 18 age and over. Added 82947, 82948, 82950, 82951, 82952, 83036, Z13.1
10/01/18	Developmental Screening and Emotion Behavioral Added ICD 10 Z13.40
10/01/18	Fall Prevention (Exercise or physical therapy and vitamin D supplementation to prevent falls in community-dwelling adults 65 years and older who are at increased risk for falls. Added 97161, 97162, 97163, 97165, 97110, 97111, 97112, 97116, 97530, G0151, G0157 Z91.81
10/01/18	Added specific page named (Preventive Well Child Screenings for children under 18)

10/01/18	Hemoglobin for children under 18. Added 85013, 85014, 85025, 85027, Z00.121, Z00.129, Z00.110, Z00.111, Z13.0
10/01/18	Postpartum Depression Screening (Performed as part of 1, 2, 4, and 6 month well baby visits). Added 96161, Z00.110, Z00.111, Z00.121, Z00.129
10/01/18	Skin Cancer Prevention (Young Adults 10 to 24 yrs) Added Z00.121, Z00.129, Z00.00
10/01/19	Alcohol Misuse counseling Added G0444, F32.9
10/01/19	Cervical Cancer Screening Added P3000, P3001
10/01/19	Cholesterol Screening Added Z00.00, Z00.01, Z13.220
10/01/19	Colorectal Cancer Screening Added Z83.71, Added Anesthesia 00811, 00812, 00813 Removed 00810 from Anesthesia
10/01/19	Contraceptive Methods Added 11976, 11982, Z30.015, Z30.016, Z30.017, Z30.44, Z30.44, Z30.45, Z30.46
10/01/19	Depression Screening Added F32.89, F32.9
10/01/19	Developmental Screening and Emotional Behavioral Assessment Added Z13.41, Z13.42, Z13.31, Z13.49
10/01/19	Diabetes Screening for type 2 diabetes in Adults Added E66.3, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, E66.01, E66.09, E66.1, E66.8, E66.9, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45
10/01/19	Hepatitis C Screening Added T74.21XS, T76.21Xs, Z20.89
10/01/19	HIV Screening Added S3645
10/01/19	Lung Cancer Screening Added G9275, G9276, G9458, G9459, G9460
10/01/19	Obesity Screening and Counseling for Adults Added 97802, 97803, 97804, G0446, G0447, G0473, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, E66.01, E66.09, E66.1, E66.8, E66.9
10/01/19	Obesity Screening and Counseling for Children Added G0445, E66.01, E66.09, E66.1, E66.8, E66.9
10/01/19	Tobacco Use Counseling Added Z71.6
10/01/20	Alcohol Misuse Screening updated description to the following: Alcohol unhealthy use of; screening and counseling

10/01/20	Autism Screening for children 18 and 24 months Added CPT Code 96110 Added ICD 10 Z00.121, Z001.129, Z13.40, Z134.41, Z13.42, and Z13.49
10/01/20	Updated description of Bacteriuria Screening- Removed 12 to 16 weeks gestation or at the first prenatal visit, if later.
10/01/20	Breastfeeding and Lactation Counseling Added CPT codes 98960, 98961, 98962 Added DX ICD 10 O91.012 – O91.23
10/01/20	Updated HIV Screening to HIV Screening/prevention of HIV infection. Updated description and added Preexposure Prophylaxis for Individuals with High Risk of Infection. Added CPT CODEs 86701, 86702, 86703 Added ICD 10 Z00.121, Z20.2, Z22.8, Z722.9, Z72.52, Z72.53
10/01/20	Replaced Interpersonal and domestic to “Intimate Partner Violence” screening.
10/01/20	Updated description of Osteoporosis Screening with the following and removed 50 years and updated to 65: For women age 65 and older, and postmenopausal women younger than 65 who are at increased risk of osteoporosis. Frequency is every two years
10/01/20	Updated the description recommendation for Tobacco use screening for all adults and cessation interventions for tobacco users. The recommendation is that clinicians ask all adults about tobacco use, advise them to stop using tobacco, and provide behavioral interventions and U.S. Food and Drug Administration (FDA)–approved pharmacotherapy for cessation to adults who use tobacco.
10/01/20	Updated description of Breast Cancer to the following: Breast cancer chemoprevention counseling and medications for women at higher risk. For women who are at increased risk for breast cancer and at low risk for adverse medication effects, clinicians should offer to prescribe risk-reducing medications, such as tamoxifen or raloxifene.
10/01/20	Added new preventive: Intimate partner violence screening, which includes providing or referring women who screen positive to ongoing support services
10/01/20	Updated description of Tobacco use screening and interventions to the following: The recommendation is that clinicians ask all pregnant women about tobacco use, advise them to stop using tobacco, and provide behavioral interventions for cessation to pregnant women who use tobacco
10/01/21	Blood Pressure Screening Added CPT Codes 93784, 93786, 93788, 93790
10/01/21	BRCA Lab Screening and Genetic Counseling and Evaluation of BRCA Testing: Deleted CPT Code: 81211, 99201 -99205 Added CPT Code: 81163, 81164, 81165, 88166, 81167, 99202- 99215 Added ICD 10: Z80.3, Z85.3, Z85.43
10/01/21	Breastfeeding Support Added CPT Code 98960, 98961, 98962 Added DX 091.012 -091.23
10/01/21	Cervical Cancer Screening Added CPT code 87624, 87625, G0476 Added DX Z11.51
10/01/21	Chlamydia Infection Screening Added CPT code 87491 Added DX Z001.121, Z001.29, Z20.6, Z72.51, Z72.52, Z72.53
10/01/21	Chlamydia Infection Screening Pregnant Women Added CPT code 87850

10/01/21	Cholesterol Abnormalities Added CPT codes 83718, 83719, 83721, 83722, 84478
10/01/21	Cholesterol Screening Added CPT codes 82465, 83718, 83719, 83721, 83722, 84478
10/01/21	Colorectal Cancer Screening Added CPT codes 45333, 45381, 45384, G0105, G0120, G0121, G0122, 81528 99202 – 99205, 99211 – 99215, 99241 – 99245, 99417
10/01/21	Depression Screening Adolescents Added code G0444 Added DX Z13.31, Z13.32
10/01/21	Depression Screening Adults Added CPT code 96127, G0444 Added DX Z13.313, Z13.32
10/01/21	Diabetes Screening Added DX Z86.32
10/01/21	Gestational Diabetes Added CPT code 36415
10/01/21	Healthy Diet Counseling Added CPT codes 97802, 97803, 97804, G0270, G0271, 99401, 99402, 99403, 99404, S9470
10/01/21	Loss of Hearing Newborns Added CPT code 99461
10/01/21	Hemoglobinopathies Screening Newborns Added CPT code 83030, 83033, 83051
10/01/21	Updated description of Hepatitis C Screening to the following: 18 – 79 years at least once for Hepatitis C virus infection (HCF)
10/01/21	Updated HIV Screening description to the following: HIV screening/prevention of HIV infection and Preexposure of Prophylaxis (PrEP) for individuals with high risk infection from 13 – 65 of age Updated CPT Codes 86701, 86702, 86703 Removed S3645 Updated DX Z00.121, Z120.2, Z22.8, Z722.9, Z72.52, Z72.53
10/01/21	Human Papillomavirus Testing (HPV) Added CPT code 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88164, 88165, 88166, 88167, 88174, 88175
10/01/21	Updated Description of Interpersonal and Domestic to the following: Intimate Partner
10/01/21	Lung Cancer Screening Added CPT code 71271
10/01/21	Newborn Metabolic Screening Panel Added CPT code 82017, 84437
10/01/21	Obesity Screening and Counseling DX E66.3
10/01/21	Osteoporosis Screening for Women Updated age from 50 to 65 years and older, and postmenopausal women younger than 65 who are increased risk of osteoporosis
10/01/21	Added new screening Tobacco use screening for all adults and cessation interventions for tobacco users. Added CPT 99406-99407 Added DX Z00.00, Z00.01, Z00.8, Z71.6, O99.330, O99.331, O99.332, O099.334, O99.335 F17.200 – Z17.299, Z72.0
10/01/21	Added new screening Tuberculosis Infection Screening for adults 18 years and up

	CPT code 86580, 36415, 71020, 71010 DX R76.11, R76.12, Z00.00, Z00.01, Z11.1, Z20.1
10/01/21	Added new screening Urinary Incontinence Screening for women ages 17 and over CPT codes 9941 - 99412, 99381 – 99387, 99391- 99397, 99401 – 99404 DX code Z01.411, Z01.419, Z01.42, Z12.4, R32, R39
10/01/21	Added Section on COVID Preventive Vaccines Immunizations and Administration & Preventive Services
10/01/21	Added Screenings under Preventive Well Child under the age of 18 Anemia Screening for Children CPT Code 85014, 85018, 36415 DX Z00.110, Z00.111, Z00.121, Z00.129, Z13.02 Autism Screening CPT Code 96110 DX Z00, Z13, Z13.42
10/01/21	Developmental Screening Added DX Z13.40, Z13.49
10/01/21	Dyslipidemia Screening Added CPT code 36415
10/01/21	Hemoglobin Added CPT code 36415
10/01/21	Lead Screening (up to 7 yrs) Added CPT code 36415
10/01/21	Preventive Well Women Annual Visits with OB/GN (One per Fiscal Year) CPT Code S0610, S0612, S0613
10/01/21	Updated Reference Page
10/01/22	No changes made on TPA preventive screenings.
10/01/23	Abdominal aortic aneurysm screening: men Added DX Z87.891 Deleted DX Z00.00, Z00.01
10/01/23	Added new screening Anxiety in Children and Adolescents: Screening CPT 96127 DX Z13.39
10/01/23	Blood pressure/Hypertension screening in Adults screening Deleted CPT 99385, 99387, 99395, 99397 Updated DX R03.0
10/01/23	BRCA Lab Screening and Genetic Counseling and Evaluation for BRCA Testing Deleted DX Z31.5, Z13.79, Z80.3, Z80.41, Z85.3, Z85.43
10/01/23	Breast cancer preventive medication Add CPT 99205, 99211, 99212, 99213, 99214, 99215, 99385, 99386, 99387, 99395, 99396, 99397, 99417, G0563 Added DX Z15.02, Z80.41 Deleted DX Z00.00, Z00.01, Z00.8. Z01.411, Z01.419,

10/01/23	Breastfeeding Support, Supplies, and Counseling Remove PA under breast pumps.
10/01/23	Cervical cancer screening Changed ages 21-65. Screening for cervical cancer every 3 years with cervical cytology alone in women aged 21 to 29 years. For women aged 30 to 65 years, screening every 3 years with cervical cytology alone, every 5 Updated DX Z12.4
10/01/23	Colorectal cancer screening Added CPT 44389 and reduced age to 45
10/01/23	Contraceptive methods to include sterilization and Contraceptive Counseling. Updated DX Z98.51 Added CPT 57170, S4981
10/01/23	Dental caries prevention: preschool children Added DX Z41.8
10/01/23	Depression screening: adolescents Added CPT 96161 Deleted DX F32.89, F32.9, Z13.89, Z13.4 Deleted CPT 99384, 99385, 99394, 99395, 99401, 99404
10/01/23	Depression screening: adults Deleted CPT 99384, 99387, 99394, 99397, 99401, 99404 Deleted DX Z13.89
10/01/23	Added-Depression screening for women during pregnancy and in the postpartum period
10/01/23	Developmental Screening and Emotional Behavioral Assessment for ages 21 and under Deleted DX Z13.31
10/01/23	Diabetes Screening for Adults 18 age and over Added CPT 36415 Added DX Z00.00, Z00.01, Z86.32
10/01/23	Diabetes Screening for Mellitus after pregnancy. Added CPT 82947, 82948, 82950, 82951, 82952, 83036, 36415 Added DX Z00.00, Z00.01, Z86.32, Z13.1
10/01/23	Gestational diabetes Screening in pregnant women Added CPT 83036, 82962
10/01/23	Tobacco use counseling: non-pregnant adults Updated DX Z82.49 Deleted DX F17.220, Z00.00, Z00.01, Z00.8, Z71.6
10/01/23	Tuberculosis infection screening: Adult 18 years and up. Added CPT 86480, 86481, 99211
10/01/23	Urinary tract or other infection screening: pregnant women. Updated DX 036.80X9

10/01/23	Autism Screening Deleted DX Z00, Z13 Added DX, Z001.21, Z001.29, Z13.40, Z13.41, Z713.49
10/01/23	Dyslipidemia Screening (Cholesterol) Added CPT 83719, 83721, 83722, 84478 Added DX Z00.121, Z00
10/01/23	Lead Screening (up to 7 yrs) Deleted DX Z13.87 Added DX Z00.121, Z001.29, Z77.0118
10/01/23	Sensory Screening-Hearing for Children Deleted DX Z00.110, Z00.111, Z01.118 Added CPT 92552, 92553, 92558, 92587, 92588 Added DX Z01.10, Z00.00, Z00.01
10/01/24	Anemia screening: pregnant women Deleted: The USPSTF recommends routine screening for iron deficiency anemia in asymptomatic pregnant women- No longer in place
10/01/24	Breast feeding support and supplies Added: Prior Authorization is not required for Breast Pumps with an in-network provider.
10/01/24	Colorectal cancer screening: Added DX: Z83.711, Z83.718, Z83.719 Added CPT Code: 88304 & 88305 Added: Prior authorization is required for outpatient surgery colorectal screenings as listed on TPA Prior Authorization Flyer
10/01/24	Contraceptive Methods Added CPT Codes: 58661, 58562, 81025, 84702, 84703 Added: Prior Authorization is not required for outpatient surgery sterilization for women and men
10/01/24	Depression Screening Added CPT Code: G0136
10/01/24	New Screening: Hypertensive Disorders of Pregnancy Screening The USPSTF recommends screening for hypertensive disorders in pregnant Added new ICD 10 and CPT codes
10/01/24	New Screening: Prediabetes screening and type 2 diabetes in adults aged 35 to 70 years who have overweight or obesity Added new ICD 10 and CPT Codes
10/01/24	Deleted: COVID Telehealth/Telemedicine E & M Services / Any services rendered at office, must be billed with pos (11). These services are currently covered throughout the end of the pandemic
10/01/24	Updated Fiscal Year to 2024-2025